



RC472305



Included accessories

1 x egg box with lid

Optional accessories

RA430100:

Storage container with lid, anthracite

installation accessories

RA425110:

Vario SS handle 1131 mm

RA460020:

Frontpanel connection long

Vario refrigerator 400 series

213.4 x 76.2 cm

RC472305

- Stainless steel interior with solid anthracite aluminium elements
- TFT Touch Display
- Immerse your kitchen in a mesmerizing glow with Gaggenau's Glare-Free LED Light Spots and showcase your dishes like never before.
- Fresh cooling drawer close to 0 °C
- Humidity Adjustable Drawer
-

General

Installation typology: Full-integrated

Door hinge: right, reversible

Opening door assist

Cushioned door closing system

Total volume: 467 l

Comfort

Temperature adjustable from: 2-8 °C

Automatic defrosting

Freshness system: Fresh cooling 0 °C

Fast cooling

Rest mode

Activated charcoal air filter: Air fresh filter

Open-door alarm

Cooling

Number of shelves: 4

Number of height-adjustable shelves: 3

Number of door racks: 4

Interior lighting: LED

Connectivity

Gaggenau Home Connect¹

Selected digital services (Gaggenau Home

Connect): Remote diagnostics, Remote

Monitoring and Control

Performance and consumption values

Energy Efficiency Class²: E

Annual energy consumption: 166 kWh/a

Noise level class: C

Noise level: 40 dB(A) re 1pW

Technical specifications

Length of connection cable: 300 cm

Installation

Dimensions (HxWxD): 2125x756x608 mm

Dimensions of the packaged appliance


(HxWxD): 2270x840x740 mm

Niche dimensions (HxWxD): 2134.0 x 762.0 x


610.0 mm

Appliance weight: 170.4 kg

Door opening angle




The hinge travel and resulting clearances from adjacent furniture units and handles can be found from the drawing while allowing for the thickness of the front panel. In the drawing, a furniture unit front panel thickness of 19 mm was assumed.



The maximum door panel dimensions are based on a clearance of 3 mm.


Wall clearance RB 472/RC/RF/RW



Recess width			
C	D	E1	E2
457 mm	525 mm	235 mm	265 mm
610 mm	677 mm	299 mm	330 mm
762 mm	830 mm	364 mm	395 mm
914 mm	980 mm	428 mm	460 mm

In the drawing, a unit front thickness of 19 mm and a Gaggenau unit handle of 49 mm were taken as a basis.

Base detail



Based on the standard appliance height, the height of the plinth is 102 mm. Maximum plinth thickness 19 mm.

