



RF202180



Included accessories

1 x ice cube tray

Built-under freezer 200 series

82 x 60 cm

RF202180

- Interior with solid elements in light satin aluminium
- Drawers with solid aluminium handles
- Cushioned door closing system allowing a soft and controlled door closure
- Total volume 85 litres
- LED electronic with touch control.
-


Technical data

Other data

Country of origin: DE
Household refrigerating appliances categories: Upright freezer
EAN Barcode: !2E20AG-dbcebb!
Statistical number: 84184020
CPH-Code: B31203309415BABBC1
EU category of the household refrigerating appliance model (2010/30/EC): 8
Star rating: 4
Product group: Freezer
Brand: Gaggenau
Product name/family: upright freezer width 56 - 60 cm
Product name / Commercial code: RF202180
Internal article number: RF202180
EAN code: 4242006312411
Type: Upright freezer
Built-in / Free-standing: Built-in
Installation typology: Full-integrated
Type of control: Electronic
Handling: Button, Via app
Fuse protection: 10 A
Nominal voltage: 220-240 V
Frequency: 50 Hz
Length of connection cable: 230 cm
Connection: With plug
Total unit gross capacity: 99 l
Total unit net capacity: 66 l
Height of the appliance: 820 mm
Width of the appliance: 598 mm
Depth: 548 mm
Depth with open door 90 degree: 1160 mm
Height of the packed product: 890 mm
Width of the packed product: 655 mm
Depth of the packed product: 625 mm
Minimum height for installation: 820 mm
Maximum height for installation: 820 mm
Minimum width for installation: 600 mm
Maximum width for installation: 600 mm
Depth for installation: 550 mm
Appliance weight: 31.7 kg
Gross weight: 34.4 kg
Energy efficiency class: A+
Energy consumption annual - NEW (2010/30/EC): 177.00 kWh/a
Freezer Net capacity - NEW (2010/30/EC): 66 l
Freezing capacity (kg/24h) (2010/30/EU): 8 kg/24h
QR Code: [HTTPS://EPRELEC.EUROPA.EU/QR/1562957](https://EPRELEC.EUROPA.EU/QR/1562957)
Energy Efficiency Class¹: E
Noise level: 35 dB(A) re 1pW
Noise level class: B
Annual energy consumption: 189 kWh/a
Sum of volume of frozen compartments: 85 l

Sum of volume of chill compartments: 0 l
Product outside the scope of "low noise appliance" and "wine storage appliance"
Climate Class: Extended temperate, Subtropical, Temperate, tropical
Minimum ambient temperature: 10 °C
Maximum ambient temperature: 43 °C
Fast freezing
Compartment Volume (4-Star): 75.0 l
Compartment Volume (2-Star Section): 10.0 l
Recommended Temperature (4-Star): -18 °C
Recommended Temperature (2-Star Section): -12 °C
Freezing capacity: 8.0 kg/24h
Defrosting Type (4-Star): Automatic
Defrosting Type (2-Star Section): Automatic
Fast freezing function
Total volume: 85 l
Energy Efficiency Index: 100
Noise level: 35 dB(A) re 1pW
Frost free system: Fridge and freezer
Warning signal / malfunction: Visual
Door hinge: right, reversible
Defrost: Automatic
Fast freezing
Thaw water drainage system
Cover door installation system: Fixed-mounted
Number of drawers: 3
Number of freezing flaps (Stck): 0
Included accessories: 1 x ice cube tray
Product image: 23325440_RF202880_STP_def.jpg
Value class: 200 series
Niche dimensions (HxWxD): 820x600x550 mm
Width with opened door (90°): 60.00 cm
Dimensions of the packaged appliance (HxWxD): 890x655x625 mm
Reversible Door Hinge
Cold appliance: Isobutane
No. of external doors: 1
Gaggenau Home Connect²
Product Series Key: Upright freezer, NF
Construction Type Group: Built in
Manufacturer: BSH FCLG Giengen
Productdivision: PRF
Chemical Tax Classification: 0 %
Main product group (MDA, SDA, ACC, OTH): MDA
Appliance type label class: upright freezer
Width with opened door (90°): 60.00 cm
EAN Barcode: !2E20AG-dbcebb!
Statistical number: 84184020
Niche dimensions (HxWxD): 820x600x550 mm
Country of origin: DE
Dimensions of the packaged appliance (HxWxD): 890x655x625 mm
Volume packaging (dm³): 364.344
CPH-Code: B31203309415BABBC1
Household refrigerating appliances categories: Upright freezer
Reversible Door Hinge
Cold appliance: Isobutane
No. of external doors: 1
Gaggenau Home Connect³
Product Series Key: Upright freezer, NF
EAN14: 14242006312418
Construction Type Group: Built in
Productdivision: PRF
Leng pallet: 120 cm

Width pallet: 80 cm



A: Socket

B: Base height:

- 100 mm when niche height is 822 mm
- 180 mm when niche height is 900 mm

Measurements in mm